

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	16706	(transmission near2 line) and (impedance same (lower or higher))	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB
2	BRS	L2	1938	1 and broadband	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
3	BRS	L3	1301	2 and conductor	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB
4	BRS	L4	802	3 and wavelength	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	637	4 and ground\$3	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB
6	BRS	L6	491	5 and dielectric	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
3	BRS	L3	1	(transmission adj conductor same dielectric same four- terminal same pair same impedance same wavelength same electromagnetic).clm.	US- PGPUB